



REMIDAG SRL is a brand-new company with almost **30 years of experience**. We manufacture and distribute worldwide stainless steel **coffeegrinders** and professional equipment for Bars & Restaurants.





Desire to grow, focus on what are market demands and our customers' needs have led us to givebirth to this new company, founded on a fundamental value: the quality of MADE IN ITALY.

The continuous research of materials and most recent technologies, the added value of an elegant design, the **strength** of a product lasting over time, the attention to **details** and finishing, these are the **qualities** that characterize the full range of our products.



MST-58P E ON DEMAND ø 58 mm

Modello/Model	MST-58P E
Macine/Burrs	Ø 58mm Piane/Flat
Campana/Hopper	500 g
Dimensioni/Dimensions	15,5x23x 38,5(H)cm
Peso/Weight	8 Kg Netto/Net
Potenza/Power	350Watt. 220-240v/ 50-60Hz.
Giri/min/Rpm	1400 rpm
Imballo/Packaging	20,5 x 30 x 50 (H)cm
	9 Kg Lordo /Gross

CHARACTERISTICS:

4

- New full touch display, easy and intuitive
 New Silent System technology
 Humidity and temperature sensor
 Consumption statistics
 Stepless micrometric adjustment of the grinding
 Shortened output pipe to reduce retention of ground coffee
 Removable coffee outlet duct for easier cleaning and more constant doese Removable concercited duct for easier cleaning and m constant doses
 Single dose in less than 3 seconds
 Single/double dose dispensing also with press button
 Adjustable filter holder support
 Triple dose activation on request

OPTIONAL:

- PR-STACO Pressing unit that can be applied under coffee grinder's display
 1200g Hopper
 110Vversion available



Remidag

40%

MST-64PEV ON DEMAND ø 64 mm

Modello/Model	MST-64PEV
Macine/Burrs	Ø64 mm Piane/Flat
Campana/Hopper	1200 g
Dimensioni/Dimensions	18x 24x 50,5(H)cm
Peso/Weight	12Kg Netto/Net
Potenza/Power	400 Watt. 220-240v/ 50-60Hz
Giri/min/Rpm	1400 rpm
Imballo/Packaging	24 x 38,5 x 50,5 (H)cr
	13Kg Lordo /Gross

CHARACTERISTICS:

New full touch display, easy and intuitive
New Silent System technology
Humidity and temperature sensor
Consumption statistics
Stepless micrometric adjustment of the grinding
Shortened output pipe to reduce retention of ground coffee
Removable coffee outlet duct for easier cleaning and more constant doses
Single dose in less than 2 seconds
Single/double dose dispensing also with press button
Adjustable filter holder support
Triple dose activation on request

Cara a contra

OPTIONAL:

3

 Also available in the simple multilingual display version, with LED backlit capacitive controls in 7 different colors
 PR-STACO Pressing unit that can be applied under coffee •RED SPEED Burrs •Smart cooling fan •110Vversion available



0 346 0 40% 1 6

REMIDAG

MST-83P E ON DEMAND ø 83 mm

Modello/Model	MST-83P E
Macine/Burrs	Ø 83 mm Piane/Flat
Campana/Hopper	1200 g
Dimensioni/Dimensions	21,5x24x61(H)cm
Peso/Weight	19Kg Netto/Net
Potenza/Power	650 Watt. 220-240v/ 50-60Hz.
Giri/min/Rpm	1400 rpm
Imballo/Packaging	24,5 x 39 x 63 (H)cm 20 Kg Lordo /Gross

CHARACTERISTICS:

- New full touch display, easy and intuitive
 Humidity and temperature sensor
 Consumption statistics
 Stepless micrometric adjustment of the grinding
 Shortened output pipe to reduce retention of ground coffee
 Removable coffee outlet duct for easier cleaning and more constant doses
 Single dose in less than 2 seconds
 Single/double dose dispensing also with press button
 Adjustable filter holder support
 Triple dose activation on request

OPTIONAL:

- Also available in the simple multilingual display version, with LED backlit capacitive controls in 7 different colors
 PR-STACO Pressing unit that can be applied under coffee grinder's display
 RED SPEED Burrs
 Smart cooling fan
 500 g Hopper



WITH I

665

BEMIDAG

REMIDAG Art Ø 14 4 400

DAG

REN

MST-58P Z ON DEMAND ø 58 mm

Modello/Model	MST-58P Z
Macine/Burrs	Ø 58mm Piane/Flat
Campana/Hopper	-
Dimensioni/Dimensions	15,5x23x37,5(H)cm
Peso/Weight	8 Kg Netto/Net
Potenza/Power	350Watt. 220-240v/ 50-60Hz.
Giri/min/Rpm	1400 rpm
Imballo/Packaging	21x 30 x 50 (H)cm 9 Kg Lordo /Gross

CHARACTERISTICS:

Zero retention system, ideal for single-serve portions
New full touch display, easy and intuitive
New Silent System technology
Humidity and temperature sensor
Consumption statistics
Stepless micrometric adjustment of the grinding
Shortened output pipe to reduce retention of ground coffee
Removable coffee outlet duct for easier cleaning and more constant doses
Single dose in less than 3 seconds
Single/double dose dispensing also with press button
Adjustable filter holder support
Triple dose activation on request

REM

Pres)


OPTIONAL:

•110Vversion available









MST-64PA/T/M DOSER ø 64 mm

Modello/Model	MST-64PA/T/M
Macine/Burrs	Ø64 mm Piane/Flat
Campana/Hopper	1200 g
Dimensioni/Dimensions	18x 32x 51,5(H)cm
Peso/Weight	12Kg Netto/Net
Potenza/Power	350Watt. 220–240v/ 50–60Hz.
Giri/min/Rpm	1400 rpm
Imballo/Packaging	24 x 38,5 x 50,5 (H)cm
	13Kg Lordo /Gross

CHARACTERISTICS:

•Traditional system of immediate lever dose dispensing •Strong, compact and reliable •Stepless micrometric adjustment of the grinding •Possibility to adjust the dose from 5 to 9.5g •Beat counter

VERSIONS:

- •AUTOMATIC: every 6 doses of coffee it automatically starts grinding again and stops only when the dispenser •MANUAL:With manual on-offswitch •TIMER:With time switch

OPTIONAL:

•Titanium Burrs •Smart cooling system •110Vversion available



2508

MST-83PA/M DOSER ø 83 mm

Modello/Model	MST-83PA/M
Macine/Burrs	Ø 83 mm Piane/Flat
Campana/Hopper	1200 g
Dimensioni/Dimensions	21,5x36x61(H)cm
Peso/Weight	19Kg Netto/Net
Potenza/Power	650Watt. 220-240v/ 50-60Hz.
Giri/min/Rpm	1400 rpm
Imballo/Packaging	24,5 x 39 x 63 (H)cm 20 Kg Lordo /Gross

CHARACTERISTICS:

Traditional system of immediate lever dose dispensing
Strong and reliable
Stepless micrometric adjustment of the grinding
Possibility to adjust the dose from 5 to 9.5g
Beat counter

VERSIONS:

•AUTOMATIC: every 6 doses of coffee it automatically starts grinding again and stops only when the dispenser is full •MANUAL:With manual on-offswitch

OPTIONAL: •RED SPEED Burrs •Smart cooling system





MST-83P D GROCERY ø 83 mm

Modello/Model	MST-83P D
Macine/Burrs	Ø 83 mm Piane/Fla
Campana/Hopper	1200 g
Dimensioni/Dimensions	21,5x24x61(H)cm
Peso/Weight	19Kg Netto/Net
Potenza/Power	650 Watt. 220-240v/ 50-60H
Giri/min/Rpm	1400 rpm
Imballo/Packaging	24,5 x 39 x 63 (H)cm 20 Kg Lordo /Gross

CHARACTERISTICS:

Strong and reliable work companion
Stepless micrometric adjustment of the grinding
Removable coffee outlet duct for easier cleaning
Integrated support for the bag of ground coffee coming out

OPTIONAL:

•RED SPEED Burrs •Smart cooling fan





MST-58P H ON DEMAND ø 58 mm

lodello/Model	MST-58P H
lacine/Burrs	Ø 58mm Piane/Flat
Campana/Hopper	500 g
Dimensioni/Dimensions	15,5x23x38,5(H)cm
Peso/Weight	8 Kg Netto/Net
otenza/Power	350Watt. 220–240v/ 50–60Hz.
Biri/min/Rpm	1400 rpm
mballo/Packaging	20,5 x 30 x 50 (H)cm 9 Kg Lordo /Gross

CHARACTERISTICS:

- New Silent System technology
 Stepless micrometric adjustment of the grinding
 Shortened output pipe to reduce retention of ground coffee
 Removable coffee outlet duct for easier cleaning and more consistent dosing
 Dose dispensing with press button
 Production capacity: 3g/sec

OPTIONAL:

• PR-STACO tamper, applicable under the coffee grinder display



Optional and accessories

PR-STACO



Pressing unit applied under coffeegrinder display

PR-FRIBA



PR-FRICO



PR-TELBA



BURRS





Flat Burrs		Code
Ø 58 mm	On Demand	MP001213
Ø 64 mm	On Demand	MP001202
Ø 64 mm	On Demand	MP001208
Ø 64 mm	Doser	MP001003
Ø 64 mm	Doser	MP001022
Ø 83 mm	All Models	MP002005
Ø 83 mm	All Models	MP002009







Туре	Material	Average duration
Standard	Steel	350 Kg
Standard	Steel	400 Kg
Optional	RED SPEED	2.500 Kg
Standard	Steel	400 Kg
Optional	TITANIUM	2.300 Kg
Standard	Steel	800 Kg
Optional	RED SPEED	5.100 Kg



Automatic Orange Juicer

SP-A2

Modello/Model
Dimensions
Weight
Power
Rpm Packaging

SP-A2 18x 22x 33(H)cm 8 Kg Net 350Watt. 220-240v/ 50-60Hz. 1400 rpm 20,5 x 30 x 50 (H)cm 9 Kg Gross



FN-A1

Modello/Model
Dimensions
Weight
Power
Rpm
Packaging

FN-A1 17,5x18,5x47(H)cm 3 Kg Netto/Net 150Watt. 220-240v/ 50-60Hz. 1500 rpm 20,5 x 30 x 50 (H)cm 4 Kg Gross

CHARACTERISTICS:

•The ideal tool for making top quality juices

•Lever ignition system besides ensuring safety, also allows to work easily and to avoid any sketches leakage from the tray

•Special processing of the steel pine cone, thanks to its 1400rpm it centrifuges the juice making it dense, filtered and intense

Inclined tray prevents the formation of liquid residues inside it, ensuring constant quality with each juice
pine cone, tray and drip-proofsaucer can be easily remo-

ved and washed in the dishwasher

Professional bar mixer



CHARACTERISTICS:

- •Ideal for making milkshakes, iced shaken coffees, for mixing cocktails or powdered preparations.
- Elegant design, solid structure in aluminum and stainless-stee
- •A silent and powerful 15.000rpm engine grants great results also under effort.
- •Ease and speed of use thanks to the glass holder ignition system
- •It can also be used with the Boston cocktail glass

Remidag srl Via Padova 4A 35010Trebaseleghe (PD) – Italy Vat Nr. IT 04804510289

1.7.1.1

+39049 938 77 66 export@remidag.it www.remidag.it